

i.MixShower



These new devices were especially designed for an efficient rinsing of blender jugs and jars. The container is always quickly rinsed with fresh water inside - dirty washing water runs away immediately. The device can be operated with activation bail (esp. for blender jugs without blades being touched by the device) or without activation bail (e.g. prerinsing of latte macchiato glasses) as well as with cold or warm water.

Furthermore i.MixShower offers durable quality, ease of maintanance, easy installation and connection to the water mains or water taps, and different versions/models for flexible applications and requirements (e.g. i.MixShower fits in or at all common work counters by fix installation or plug@play).

Presentation & customer benefits





The container is always rinsed with fresh water inside. The device can be operated with cold or warm water. Dirty washing water runs away immediately.

Less water consumption -Greater efficiency

The water valves are opened by pressing the container onto the bail arms or the valve rod. On removing the container the water valves are automatically closed by the water pressure.

Flexibility

Different versions/models for various requirements. As the activation bail is removable i.MixShower can be used for different applications. Easy connection to water supply mains



i.MixShower is manufactured from high-quality precision parts and has been sold to many satisfied customers.

Easy to maintain

Easy dis-fassembly (e.g. for cleaning or decalcification purposes) due to removable activation bail and other integrated components (depending on model) such as automatic water-stop, water-backflow-preventer or compact one-piece valve assembly.



i.Mix*Shower*

Presentation & customer benefits

Activation bail (removable)

As the activation bail is removable i.MixShower can be used for different applications.



Operation with activation bail

Activation of the device by the border of a container. This ensures, that e.g. the device doesn't touch the sensitive blades at the bottom of a container (blades are not damaged).





Operation without activation bail
Activation of the device by the bottom of a
container (application of the protective sleeve
for the valve rod instead of the activation
bail).











i. MixShower Presentation & customer benefits



Integrated automatic waterstop

Inside the lower tube of the spray rinsing devices 941 001 and 941 003 we built-in a water-backflow-preventer and an automatic waterstop, which clo-ses automatically when turning off the spray heads. This enables a comfortable and easy cleaning of the spray rinsing unit even from inside without requiring to disassemble the complete unit. Also here we paid attention to the details: The gaskets of the valve assembly are clipped onto the valve plate and won't get lost easily!

Integrated water-backflow-preventer

Below the automatic waterstop of the spray rinsing devices 941 001 and 941 003 there is a water-backflow-preventer. This means an additional protection.





Compact one-piece valve assembly

The compact one-piece valve assembly enables a comfortable and easy cleaning of the spray rinsing unit even from inside without requiring to disassemble the complete unit. Also here we paid attention to the details: The gaskets are clipped onto the valve plate and won't get lost easily!



i.MixShower

941 001 Advantage

Spray rinsing unit for jugs, shakers, jars, containers and glasses with integrated automatic waterstop and water-backflow-preventer.

Assembly version (for installation in existing sinks).

WxH approx. 120/200 x 200 mm. Bail WxH approx. 200x120 mm. Water connection thread 1/2".

941 003 Comfort

Spray rinsing unit 941 001 with fit-in sink incl. water drain components.

Fit-in Version (for in-counter installation). Sink inside LxWxH approx. 296 x 236 x 150 mm.

Sink outside LxWxH approx. 341 x 281 x 150 mm.

Water connection thread: 1/2" and 1 1/2"

941 002 Advantage Plus

Spray rinsing unit for jugs, shakers, jars, containers and glasses with base with vacuum cups incl. hose and hose couplings.

Plug&Play Version (for connection to a water tap and flexible use in existing sinks). WxH approx. 120/200x200 mm. Base diameter

approx. 120 mm.

Water tap connection M22x1.

Models

Advantage

Comfort

Advantage Plus

Single components & spare parts

941 902

Base with hose and vacuums cups for i.MixShoweralso suitable for conversion of 941 001 to 941 002 (120 x 120 x 50 - water connection M22x1)

941 910

Protective sleeve for i.MixShower valve assembly 941 932

941 911

Vacuum cups for i.MixShower 941 002 (3 pcs.)

941 912

Hose for i.MixShower 941 002 (water-tap connection M22x1)

941 932

Valve assembly with clipped gaskets for i.MixShower all models

941 940

Stand pipe with integrated automatic water-stop and water-backflowpreventer for conversion of i.MixShower 941 002 to 941 001 or 941 003

