

# i.SpatulaShower

Function & customer benefits

## Spray rinsing devices for ice-cream scoops and spatula

The new **i.SpatulaShower** is designed to perfectly clean all types of ice-cream scoops and spatulas with a minimum consumption of water.

**Smart German Design**



### Function

The water valves are opened by pressing the scoop/spatula on the activation disc. The scoop/spatula is always rinsed with fresh water from the discharge nozzles on the sides. Rinsing water runs away immediately. On removing the scoop/spatula from the activation disc the water valves are automatically closed again by the water pressure.

### Less water consumption – greater economic efficiency

Use of an automatic shut-off valve enables in average **more than 50% water savings** to be achieved compared to traditional dipper well systems with continuous water flow.

### More hygiene – improved quality

The ice-cream scoop or spatula is always rinsed with fresh water. Rinsing water runs away immediately.



**i.SpatulaShower** can be disassembled quickly and completely. This enables a comfortable and easy cleaning of the rinsing container as well as the spray rinsing unit itself even from inside without requiring to uninstall the complete device.

The water valves are opened by pressing the scoop/spatula on the activation disc.



Splash cover including deposit/holder for ice-cream scoops and spatulas after rinsing operations.



On removing the scoop/spatula from the activation disc the water valves are automatically closed.



Splash cover including deposit/holder for ice-cream scoops and spatulas after rinsing operations.



integrated water-backflow-preventer





## i.SpatulaShower



### 930 910 Silicone tap-off pad for plastic splash cover

After rinsing the scoop the tap-off section made of rubber-like material helps to remove the remaining drops of water. Tapping off the water ensures that it doesn't get into the ice cream or other food.



## Funktion & Kundennutzen / Function & customer benefits

### 930 958

The strainer insert serves to collect e.g. pieces of chocolate, nuts, fruits in order to avoid the water outlet from being blocked.



### 930 966 Holder for wall

Extended holder for wall attachment with height approx. 480 mm for use in combination with i.SpatulaShower Comfort Silver 930 002.





## i.SpatulaShower

### 930 002 Comfort Silver

Spray rinsing device for ice-cream scoops and spatulas with rinsing container and splash cover incl. strainer insert for drain connection

Fit-in version  
Water connection 3/4" + 1"  
LxWxH container with border  
approx. 325 x 132 x 150 mm  
LxWxH container without border  
approx. 300 x 107 x 150 mm



**930 002**  
Comfort Silver

### 930 003 Unlimited Silver

Spray rinsing device for ice-cream scoops and spatulas with rinsing container, splash cover and holder for wall attachment incl. strainer insert for drain connection

Add-on version  
Water connection 3/4" + 1"  
LxWxH holder  
approx. 310 x 124 x 185 mm



**930 003**  
Unlimited Silver

### 930 008 Unlimited Silver

Spray rinsing device for ice-cream scoops and spatulas with rinsing container, splash cover and angle holder for wall attachment with holes for additional water-taps incl. strainer insert for drain connection

Add-on version  
Water connection 3/4" + 1"  
LxWxH angle holder  
approx. 403 x 152 x 66 mm



**930 008**  
Unlimited Silver

### 930 009 Unlimited Silver

Spray rinsing device for ice-cream scoops and spatulas with rinsing container, splash cover, angle holder for wall attachment with holes for additional water-taps and cover plate incl. strainer insert for drain connection

Add-on version  
Water connection 3/4" + 1"  
LxWxH cover plate  
approx. 303 x 132 x 180 mm



**930 009**  
Unlimited Silver

### Installations-Kit / Installation-kit



### i.SpatulaShower

should be operated at water pressures between 1,5 and 2,5 bar.

Don't forget **installation-kit 930 976** consisting of pressure reducer/manometer, ball-tap, hose for the water inlet side as well as dirt trap with strainer, threaded fitting and hose fitting for the water drain side!

### More options



**920 212**



**920 803**

**920 813**